

Rockwell™

Next-Gen Cooling Solutions

Since 1986



FROM COOLING TO FREEZING

WE OFFER COMPREHENSIVE
REFRIGERATION SOLUTIONS

GREEN FREEZER

2IN1
CONVERTIBLE
FREEZER/COOLER

UP TO
50%

Longer
Holdover



100% Copper
Cooling Coil



90mm PUF
Insulation



5 Star
Rating



Super
Tropicalised



GFR250SDUC4S



GFR350SDUC5S



GFR350DDUC5S



GFR450DDUC5S



GFR550DDUC5S

LARGE FREEZER

UP TO
50%

Longer
Holdover



100% Copper
Cooling Coil



90mm PUF
Insulation



5 Star
Rating



Super
Tropicalised



GFR910UC



GFR1210F



GFR1510F



GFR1810F

EUTECTIC DEEP FREEZER



High Density
PUF Insulation



16 Hours
Holdover



Super
Tropicalised



PCM Technology
for Unique Energy
Storage



GFRN250ET




GFRN350DDET



GFRN450ET



GFRN550ET



SFR450GTSETLEDDIGI
(with LED & Digital Indicator)

FREEZER ON WHEELS



FOW200



FOW450



FOW5504D2D

HARD TOP DEEP FREEZER

2IN1
CONVERTIBLE
FREEZER/COOLER


High-Density
PUF


Corrosion
Resistant Body


3-sides
Air Circulation



SFR70



SFR110SDU



SFR250SDU



SFR350SDU



SFR350DDU



SFR450DDU



SFR550DDU



SFR650DDU



SFR750TD

GLASS TOP DEEP FREEZER


Internal LED Light
(Optional)

★★★★★
5 Star
Rating


End-to-End
Basket


High-Density
PUF insulation


Corrosion
Resistant Body

ULTIMATE VISIBILITY
ULTIMATE FREEZING

Ice creams are stored at perfect temperatures



SFRN250GT



SFR350GTS



SFR450GTS



SFRN550GT

COMBI DEEP FREEZER



COMBI300A



COMBI450

**An All-In-One
Solution with
Dual Cooling Zones**

FREEZER

-18° C
-22° C

COOLER

+3° C
+12° C


Efficient Space
Management



Soft Look &
Robust Design


Dual Compartment
Access


Corrosion-Resistant
Body


VISI COOLER

AVAILABLE IN VARIOUS CAPACITIES TO
SUIT YOUR SPECIFIC REQUIREMENTS



VISI FREEZER

AVAILABLE MODELS: VF500C | VF1100C



UPRIGHT FREEZER

With 9 Pull-Out Drawers


CONFECTIONERY SHOWCASE

HOT | COLD | AMBIENT


SIZES: 3 FEET | 4 FEET | 5 FEET
FINISH: BLACK & STAINLESS STEEL



COOLER



WARMER



STAINLESS STEEL WATER COOLER

AVAILABLE CAPACITIES : 40L | 80L | 120L | 150L | 400L

PERFECT FOR
schools, colleges, restaurants,
hotels, offices and more.



RWCSS15/40



RWCSS60/80



RWCSS150/150



RWCSS150/400



Heavy-Duty Compressor
For Quick Chill



100% Copper
Cooling Coil



Sturdy Design
For Long Life



Full Stainless
Steel

BOTTLED WATER DISPENSER

AVAILABLE IN 2 COLOURS

BLUE / BLACK



3 in 1



HOT



NORMAL



COLD



Food-Grade SS
Water Tank, Rust-Free
& Hygienic



Bimetallic Sensor
Protection Against
Overheating



Removable Drip Tray,
Spill-Proof &
Easy Maintenance



90°C ± 5°C for
Hot Water &
> 15°C for Cold Water



Tropicalised Design
for Cooling Even
in Hot Climates

ICE MAKER

PORTABLE CAR COOLER

Li-ion Battery Optional



RIBM55



RIBM35



RICM22



RMC155



RMC30S



RMC60D



Robust Design
for Long Life



Low Noise



Quick
Ice making



Digital
Display



Spill Proof
Design



Car DC and
Regular AC Power

PROFESSIONAL KITCHEN REFRIGERATION

REACH-INS | UNDER COUNTERS | SALAD COUNTERS |
TOPPING UNITS | BLAST FREEZERS

- 100% Copper Evaporator
- Ventilated Cooling
- Self-Closing Door
- Stainless Steel
- Super Tropicalised



RGN1200F/C



RGN600F/C



RGN600GCA



BF40A



RGN900CA



RGN2100F/C



RGN3100GCA

MINI REFRIGERATOR



MB49WH



MB55GR



MB100

- Direct Cooling
- Low Noise
- Manual Defrost System
- Reversible Door

BACK BAR COOLER



BB120C



BB220C



BB340C

WINE COOLER



RWNS13

TECHNICAL SPECIFICATIONS

MODEL	CAPACITY (L)	NO. OF BASKETS	DIMENSIONS (WXDXH)MM	DOORS	TEMPERATURE RANGE	INSULATION	PRODUCT CATEGORY
GFR250SDUC4S	194	1	850x735x845	1	- 23° C to + 8°C	90mm PUF	CONVERTIBLE GREEN FREEZER
GFR350SDUC5S	294	1	1145x735x845	1			
GFR350DDUC5S	294	1	1145x735x845	2			
GFR450DDUC5S	390	1	1424x735x845	2			
GFR550DDUC5S	491	1	1719x735x845	2			
GFR910UC	750	1	1848x857x960	3	-25° C to +8°C	90mm PUF	LARGE FREEZER
GFR1210F	998	1	2354x857x960	3	-25° C to -18°C		
GFR1510F	1319	1	2735x930x960	3			
GFR1810F	1629	1	3315x930x960	3			
GFRN250ET	194	1	850x735x845	1	- 23° C to -18°C	90mm PUF	EUTECTIC FREEZER
GFRN350DDET	294	1	1145x735x845	2			
GFRN450ET	390	1	1424x735x845	2			
GFRN550ET	491	1	1719x735x845	2			
SFR450GTSETLEDDIGI	415	1	1402x660x825	Sliding	- 21° C to -18°C	60mm PUF	FREEZER ON WHEELS
FOW200	197		990x630x890	2	-25° C to -18°C	60mm PUF	
FOW450	390		1424x685x895	2		90mm PUF	
FOW5504D2D	491		1719x685x895	4/2			
SFR70	62	1	415x573x848	1	-21° C to +8°C	56mm PUF	CONVERTIBLE HARD TOP FREEZER
SFR110SDU	99	1	555x525x850	1	-22° C to +2°C	50mm PUF	
SFR250SDU	210	1	831x666x845	1	-23° C to +8°C	60mm PUF	
SFR350SDU/DDU	308	1	1120x666x845	1/2			
SFR450DDU	407	1	1402x666x845	2			
SFR550DDU	506	1	1692x666x845	2			
SFR650DDU	595	1	1953x666x845	2	-25° C to -12°C	70mm PUF	
SFR750TD	650	1	2200x715x815				
SFRN250GT	205	2	831x660x830		-21° C to -18°C	60mm PUF	GLASS TOP FREEZER
SFR350GTS	315	3	1120x660x825				
SFR450GTS	415	5	1402x660x825				
SFRN550GT	495	6	1692x660x830				
COMBI300A	241	1	1036x616x830		-22° C to +12°C	60mm PUF	COMBI FREEZER & COOLER
COMBI400A	341	1	1236x666x830				
COMBI450	F-169 / C-201	1	1402x666x845				
RVC55BL	47		450x460x500		+2° C to +10°C		VISI COOLER
RVC55WH	47		450x460x500				
RVC200A	170		545x620x1340				
RVC300B	285		576x650x1454				
RVC320A	240		556x530x1676				
RVC390B	358		576x650x1724				
RVC400	359		570x655x1715				
RVC400A	310		600x665x1727				
RVC500A	370		595x615x1995				
RVC550	453		570x655x2060				
RVC600A	460		850x590x1970				
RVC700	600		742x655x2060				
RVC950C	739		1050x640x2020				
RVC1100	954		1025x672x2025				
RVC1100C	872		1050x730x2020				
RVC1250C	998		1770x610x2010				
VF500C	413		600x730x2020		-22° C to -18°C		VISI FREEZER
VF1100C	951		1215x730x2020				UPRIGHT FREEZER
UF300A	280		600x680x1628				
RWCSS1540ISIA	40		417x417x1264		8° C to 13° C		STAINLESS STEEL WATER COOLER
RWCSS4080ISIA	80		642x457x1264				
RWCSS6080ISIA	80		642x457x1264				
RWCSS60120ISIA	120		732x552x1264				
RWCSS150150ISIA	150		802x682x1264				
RWCSS150400ISIA	400		1102x732x1564				

*Comprehensive warranty covers refrigeration parts only. Service charges extra.
Warranty is subject to standard warranty terms of Rockwell.

MODEL	CAPACITY (L)	DIMENSIONS (WxDxH)MM	DOORS	TEMPERATURE RANGE	INSULATION	PRODUCT CATEGORY
PURE MINI	3.2 L/hr	310x355x560				
PURE BLU/BLACK	3.2 L/hr	310x345x1010		Hot / Cold / Normal		BOTTLED WATER DISPENSER
PURE R	3.2 L/hr	310x355x1010				
RICM36/BW	36 Kg/day	500x450x800				
RICM60/BW	55 Kg/day	500x590x850				
RICM80/130	73/127 Kg/day	660x685x920				
RICMM200	191 Kg/day	560x832x1718				
RICMM400	318 Kg/day	760x830x1718				
RICMM500	455 Kg/day	760x830x1893				
RICMM700	682 Kg/day	1227x973x1927				
RICMM900	909 Kg/day	1227x973x2048				
RIBM35	35 Kg/day	375x575x762				
RIBM55/75	55/75 Kg/day	666x637x775				
RICM50U/80U	50/80 Kg/day	660x635x775				
IM12WP/BP	12 Kg/day	222x294x290				
IM12BSS	12 Kg/day	242x353x330				
RICM22	20 Kg/day	252x360x378				PORTABLE ICE MAKER
RGN600F/C	600	680x810x2010	2	-22° C to -18°C (FR)		
RGN1200F/C	1200	1340x810x2010	4	+2° C to +8°C (CH)	58mm PUF CFC Free	
RGN650GCA	650	740x830x2010	1	+2° C to +8°C		REACH-INS UPRIGHT FREEZER & CHILLER
RGN1410GCA	1300	1480x830x2010	2			
RGN2100F/C	282	1360x700x850	2	-22° C to -18°C (FR)		
RGN3100F/C	417	1795x700x850	3	+2° C to +8°C (CH)	High Density PUF CFC Free	
RGN2100GCA	282	1360x700x850	2	+2° C to +8°C		UNDER COUNTER FREEZER & CHILLER
RGN3100GCA	417	1795x700x850	3			
RGN901CA	240	900x700x876	2			
RSH2000/700CA	282	1360x700x1085	2	+2° C to +8°C	High Density PUF CFC Free	
RSH3000/700CA	417	1795x700x1085	3			SALADETTES & REFRIGERATED TOPPING UNITS
RTU1200A	4* GN 1/4	1200x395x435				
RTU1400A	6* GN 1/4	1400x395x435				
BF20A	160	800X800X930	1	-30° C to -18°C		
BF40A	323	800X800X1490	1	-18° C to +8°C		BLAST FREEZER
BF60A	423	800X800X1750	1			
MB49	45	450x470x500	1			
MB50	48	455x480x510	1	-10° C to +2°C		MINI REFRIGERATOR
MB55GR	47	482x508x558	1			
MB100	91	455x510x825	1			
BB120C	149	600x520x840	1			
BB220C	235	900x520x840	2			
BB340C	365	1350x520x840	3	+2° C to +8°C		BACK BAR COOLER
RWNS13	45	495x450x495	1	+6° C to +18°C		
RWNS23	67	495x450x670	1			WINE COOLER
RWNS51	155	605x605x882	1	Upper / Lower +4° C to +18°C		
RWNS87	148	605x605x882	2	Left +2° C to +18°C Right +4° C to +18°C		
RMC15S	15.3	598x320x260				
RMC30S	27.8	610x378x375		-20° C to +20°C		CAR COOLER
RMC60D	56.5	723x360x545				
RCS4L3/SS	360	900x665x1200				
RCS4L4/SS	500	1200x665x1200	Sliding	Cold / Hot / Ambient		
RCS4L5/SS	660	1500x665x1200				CONFECTIONERY SHOWCASE

Note:(1) All specifications are under standard test conditions.
(2) Technical specifications and dimensions are subject to change without notice in view of continuous R&D.

Dealer Stamp

Rockwell

Easy Consumer Finance**



CUSTOMER CARE
1860-208-2323
7396082323



PAN INDIA PRESENCE

Andhra Pradesh
Ph: 9908726838

North East
Ph: 7416202629

Bihar
Ph: 9908450012

Delhi NCR
Ph: 7995050577
7386200344

Gujarat
Ph: 7386927888

Haryana
Ph: 7093295050

Jharkhand
Ph: 9063600650

Karnataka
Ph: 9059555113
7093290707

Kerala
Ph: 7799305161
7093293434

Madhya Pradesh
Ph: 8121009785

Maharashtra
Ph: 7386200347 (Pune)
7093600303 (Mumbai)

Odisha
Ph: 8121009862

Punjab
Ph: 8977600726

Rajasthan
Ph: 9121022202

Tamil Nadu
Ph: 7337327701
8179610607

Telangana
Ph: 7416415171
9963922363

Uttar Pradesh
Ph: 7093295353 (East)
7386200344 (Central)
7093295757 (West)

West Bengal
Ph: 7093520606
7386357111

NOV. 2025